




Manufacturer  
Brunner-Anliker




Model  
Anliker XL Star  
Food Processing Machine

High quality made in Switzerland. State-of-the-art materials and technology ensure highest reliability and precision for restaurants, catering, retirement and long term care, and any commercial kitchen that needs to save time and money in their food prep.

| Specifications                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Design                            | <ul style="list-style-type: none"><li>• Large kidney-shaped filler neck 1/2 gallon (2,100 cm3)</li><li>• Rotating filler neck on the right for the cutting of Brunoises and Gaufrettes</li><li>• Tool-free removal of top and plunger</li><li>• Carry handle on the back</li><li>• Electric cable 9.85 ft (3 m) long</li><li>• Plunger made of fiberglass composite with antimicrobial effect</li><li>• Cutting discs with a diameter of 9-7/16" (240 mm) (ceramics / PTFE coating)</li><li>• Ceramics / PTFE coating, made entirely of noncorroding material</li><li>• Extra protection by micro-fuse</li><li>• Maintenance/service-free gear motor</li></ul>                                              |
| Function                          | Cutting, shredding, grating and grinding in up to 50 different ways                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Capacity                          | Up to 900 lbs/h (408 Kg/h)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Voltage                           | 115 V, 60 Hz, (231.02510)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Space requirements                | 12" x 25.8" x 23.25" (305 x 655 x 590 mm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Noise                             | 40 dB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Weight                            | 65 lbs (29.5 Kg)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Certificates                      | CE, CSA, UL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Design and dimensions (in inches) | <div><p>The technical drawing includes two views of the machine. The front view on the left shows a base width of 12 inches, a base depth of 11-5/8 inches, and a total height of 24-1/2 inches. The top width is 13-19/32 inches, and the top depth is 12-3/16 inches. The side view on the right shows a base width of 13-3/8 inches, a base depth of 12-19/32 inches, and a total height of 25-13/16 inches. The side view also shows a top width of 23-7/32 inches, a top depth of 19-1/2 inches, and a base depth of 8-7/8 inches. A small dimension of 4-1/8 inches is also indicated on the side view.</p></div> |

## Accessories



Disc holder for 8 cutting discs / 9-7/16" (240 mm)



Rotary plunger for vegetable cutter  
XL Star / 9-7/16" (240 mm)

## Recommended standard disc set

| Starter Kit (5 discs)        |       |
|------------------------------|-------|
| Fine cut 1/32" (1 mm)        | F1    |
| Rough cut 1/8" (3 mm)        | G3    |
| Juliennes 5/64" (2 mm)       | S2    |
| Grating disc for hash browns | Nr. 0 |
| Brunoises 1/8" (3 mm)        | BR3   |

## Disc overview

|                       | Slicing | Art. Nr.  |
|-----------------------|---------|-----------|
| Fine cut 1/32" (1 mm) | F1      | 232.02601 |
| Fine cut 5/64" (2 mm) | F2      | 232.02602 |

|                         | Juliennes | Art. Nr.  |
|-------------------------|-----------|-----------|
| Juliennes 1/16" (1.5mm) | S 1.5     | 232.02622 |
| Juliennes 5/64" (2 mm)  | S 2       | 232.02623 |
| Juliennes 1/8" (3 mm)   | S 3       | 232.02624 |

|                          | Allumettes | Art. Nr   |
|--------------------------|------------|-----------|
| Allumettes 5/32" (4 mm)  | PA 4       | 232.02631 |
| Allumettes 3/16" (5 mm)  | PA 5       | 232.02633 |
| Allumettes 15/64" (6 mm) | WS         | 232.02240 |

|                          | Slicing | Art. Nr.  |
|--------------------------|---------|-----------|
| Rough cut 1/8" (3 mm)    | G3      | 232.02603 |
| Rough cut 5/32" (4 mm )  | G4      | 232.02288 |
| Rough cut 15/64" (6 mm)  | G6      | 232.02606 |
| Rough cut 5/16" (8 mm)   | G8      | 232.02236 |
| Rough cut 3/8" (10 mm)   | G10     | 232.02237 |
| Rough cut 15/32" (12 mm) | G12     | 232.02238 |
| Rough cut 5/8" (16 mm)   | G16     | 232.02552 |

|  | Sickle blade | Art. Nr.  |
|-----------------------------------------------------------------------------------|--------------|-----------|
| Sickle knife 1/16" (1.5 mm)                                                       | SM 1.5       | 232.02675 |
| Sickle knife 3/32" 2.5 mm                                                         | SM 2.5       | 232.02676 |
| Sickle knife 11/64" 4.5 mm                                                        | SM 4.5       | 232.02678 |

|  | Brunoises | Art. Nr.  |
|-----------------------------------------------------------------------------------|-----------|-----------|
| Brunoises 1/8" (3 mm)                                                             | BR 3      | 232.02639 |
| Brunoises 5/32" (4 mm)                                                            | BR 4      | 232.02640 |
| Brunoises 3/16" (5 mm)                                                            | BR 5      | 232.02641 |

|  | Bâtonnets | Art. Nr.  |
|------------------------------------------------------------------------------------|-----------|-----------|
| Bâtonnets 16/64" (6mm)                                                             | BT 6      | 232.02241 |
| Bâtonnets 9/32" (7mm)                                                              | BT 7      | 232.02242 |
| Bâtonnets 5/16" (8mm)                                                              | BT 8      | 232.02243 |
| Bâtonnets 3/8" (10 mm)                                                             | BT 10     | 232.02244 |

|  | Wavy cut | Art. Nr.  |
|-------------------------------------------------------------------------------------|----------|-----------|
| Wavy cut 3/16" (5mm)                                                                | SU 5     | 232.02298 |
| Wavy cut 9/32" (7mm)                                                                | SU 7     | 232.02258 |

|  | Dicing | Art. Nr.  |
|-------------------------------------------------------------------------------------|--------|-----------|
| Cubes 1/4" (6 mm)                                                                   | W 6    | 232.02245 |
| Cubes 5/16" (8 mm)                                                                  | W 8    | 232.02247 |
| Cubes 3/8" (10 mm)                                                                  | W 10   | 232.02248 |
| Cubes 9/16" (14 mm)                                                                 | W 14   | 232.02250 |

|  | Cubes WK          | Art. Nr.  |
|-------------------------------------------------------------------------------------|-------------------|-----------|
| Body for WK                                                                         | WK-BODY-7         | 232.02252 |
| Cubing knife WK                                                                     | WK-CUBING KNIFE-7 | 232.02506 |
| Grid 5/16" (8 mm)                                                                   | WK 8              | 232.02254 |
| Grid 3/8" (10 mm)                                                                   | WK 10             | 232.02255 |
| Grid 9/16" (14 mm)                                                                  | WK 14             | 232.02256 |
| Grid 15/16" (24 mm)                                                                 | WK 24             | 232.02257 |

|  | Shredding | Art. Nr.  |
|-----------------------------------------------------------------------------------|-----------|-----------|
| Shredding 33/64" (13 mm)                                                          | No 000    | 232.02259 |
| Shredding 7/16" (11 mm)                                                           | No. 00    | 232.02260 |
| Shredding 23/64" (9 mm)                                                           | No. 0     | 232.02700 |
| Shredding 9/32" (7 mm)                                                            | No. 1     | 232.02701 |
| Shredding 15/64" (6 mm)                                                           | No. 2     | 232.02702 |
| Shredding 3/16" (5 mm)                                                            | No. 3     | 232.02551 |
| Shredding 11/64" (4.2 mm)                                                         | No. 4     | 232.02265 |
| Shredding 1/8" (3 mm)                                                             | No. 7     | 232.02266 |
| Shredding 3/32" (2.5 mm)                                                          | No. 9     | 232.02267 |
| Shredding 5/64" (2 mm)                                                            | No. 11    | 232.02268 |
| Shredding 5/64" (1.8 mm)                                                          | No. 12    | 232.02712 |
| Grating - Parmesan                                                                | No. 14    | 232.02270 |
| Fondue 15/32" (12mm)                                                              | No. 18    | 232.02718 |
| Fondue 5/8" (16mm)                                                                | No. 19    | 232.02719 |
| Universal 3/32" (2.5 mm)                                                          | No. 23    | 232.02723 |

|  | Tomato cut | Art. Nr.  |
|-------------------------------------------------------------------------------------|------------|-----------|
| Tomato cut 3/16" (5 mm)                                                             | TO         | 232.02614 |

|  | Shaving cut | Art. Nr.  |
|-------------------------------------------------------------------------------------|-------------|-----------|
| Shaving cut 1/64" (0.5mm)                                                           | HS          | 232.02621 |

|  | Gaufrettes | Art. Nr.  |
|-------------------------------------------------------------------------------------|------------|-----------|
| Gaufrettes 5/32" (4 mm)                                                             | PG 4       | 232.02286 |
| Gaufrettes 5/16" (8 mm)                                                             | PG 8       | 232.02293 |